

Reinforcing Bar Plain Round

Product Page:

https://www.abaconreo.com.au/product/reinforcing-bar-plain-round/

Product Description

Reinforcing Bar

Reinforcing Bar Plain Round

Part of the reinforcing bar range, this Reinforcing Bar Plain Round product that is a normal ductility class plain round reinforcement bar **Type 250N**, which meets Australian Standards AS4671-2001.

Note that, all AbaconREO professional reinforcing building products, including Reinforcing Bar plain round items are available for both retail and wholesale sales, which can be conveniently collected from our Melbourne factory or delivery can be arranged Australia wide. Request a quote today! Do you need another reinforcing bar building product variation or specific quantity. We can help. Simply <u>click here to contact us</u> today for more information. Plain Round Reinforcing Bar Details] Reference Diameter or size Stock Lengths M Theoretical Mass per Metre Kg/m Theoretical Cross-sectional Area (mm2)

R6.5

6.5

6

0.261

33

R10

10

6

0.617

79

R12

12

6

0.888

113

R16

16

6

1.58

201

R20

20

6

2.47

314

R24

24

6

3.55

452

R27

28

6

4.49

573

R33

33

6

6.71

855

R36**

36

L.O.A

7.99

1020

R39**

39

L.O.A

9.38

1195

** Non Stock Size Items Ordered from Mill Rolling, Minimum Quantity Required. Mass shown in the above tables are net theoretical weights per metre. Allow for a manufacturing tolerance as per clause 7.3 of AS4671-2001



Reinforcing Bars - click to view full range



Reinforcing Bars - click to view full range



Reinforcing Bars - click to view full range

Get pricing on reinforcing plain round bars]

Are you Interested? Then, select your preferred reinforcing bar option from the drop down menu selection above and 'add to quote'. Finally, complete the <u>request a quote</u> page and we will get back to you with your desired information and pricing.

Product Variants

6.5mm

10_{mm}

12_{mm}

16mm

20mm

24mm

28mm

33mm

36mm

39mm